RUN DATE OF REPORT: 01/09/2004 LAST FILE UPDATE: 01/08/2004 OSCAR REPORT 3 PAGE: 1

HISTORY FACILITY PROFILE

LOGAN NURSING & REHAB CENTER PROVIDER #: 465116 FACILITY BEDS TYPE ACTION: RECERTIFICATION
1480 NORTH 400 EAST PHONE NUMBER: (435) 750-5501 TOTAL: 118
LOGAN UT 84341 PARTICIPATION DATE: 01/01/1988 CERTIFIED: 118 TYPE OWNERSHIP: FOR PROFIT - CORPORATION
STATE'S REGION CODE: 001

STATE'S REGION CODE: 001

COMPLIANCE STATUS: FACILITY MEETS REQUIREMENTS BASED ON AN ACCEPTABLE PLAN OF CORRECTION

RESIDENT CENSUS ON 10/02/2003				LTC ADMISSION/SUSPENSION DATES				TOTAL CERTIFIED BEDS: 118				
TOTAL: 79 MEDICARE: 12 MEDICAID: 34 OTHER: 33			ADMISSION SUSPENDED: SUSPENSION RESCINDED:				18 18/19 19 ICF/MR 118					
CURRENT SURVEY REVISIT DATES - 11/13/2003												
					CODE	PLAN/DATE OF CORRECT		PROGRAM REQUIREMENTS				
))))	K E K E K G K G K E K E K	X X X X	E D D D D D D	х с х с х с	E D E	11/10/2003 10/31/2003 11/10/2003	REQ REQ REQ REQ REQ REQ REQ REQ REQ	F0221-RIGHT TO BE FREE FROM PHYSICAL RESTRAINTS NOT REQ F0241-DIGNITY F0246-ACCOMMODATION OF NEEDS & PREFERENCES F0274-ASSESSMENT AFTER A SIGNIFICANT CHANGE F0309-PROVIDE NECESS CARE FOR HIGHEST PRAC WELL BEING F0323-FACILITY IS FREE OF ACCIDENT HAZARDS F0324-SUPERVISION/DEVICES TO PREVENT ACCIDENTS F0331-GRADUAL DOSE REDUCTIONS OF ANTIPSYCHOTIC DRUGS F0371-STORE/PREPARE/DISTRIB FOOD UNDER SANITARY CONDS F0426-FACILITY PROVIDES PHARMACEUTICAL SERVICES F0431-PROPER LABELING OF DRUGS & BIOLOGICALS F0460-ROOMS DESIGNED TO ASSURE FULL VISUAL PRIVACY				
Σ	K D			ХС	E	11/10/2003	REQ	F0514-CLINICAL RECORDS MEET PROFESSIONAL STANDARDS				
06/2000 10/2001 08/2002 09/30 X C		CURRENT SURVEY 09/30/200 X C	OF C	PLAN/DATE CORRECTION		LSC DEFICIENCIES - BLDG NO. 01 K0027-DOORS IN SMOKE PARTITIONS						
х	x x x			0/17/2003		K0046-EMERGENCY LIGHTING K0050-FIRE DRILLS K0051-FIRE ALARM SYSTEM K0052-TESTING OF FIRE ALARM K0054-SMCKE DETECTOR MAINTENANCE K0070-SPACE HEATERS						

C=DATE OF CORRECTION N=NO DATE GIVEN P=PLAN OF CORRECTION R=REFUSED TO CORRECT W=WAIVED F=FSES X=DEFICIENT COP = CONDITION REQ = REQUIREMENT

RUN DATE OF REPORT: 01/09/2004 LAST FILE UPDATE: 01/08/2004 PAGE: 2

LSC DEFICIENCIES - BLDG NO. 01

OSCAR REPORT 3 HISTORY FACILITY PROFILE

LOGAN NURSING & REHAB CENTER PROVIDER #: 465116

EDITION OF LSC APPLIED

K0074-COMBUSTIBLE CURTAINS K0130-OTHER

C=DATE OF CORRECTION N=NO DATE GIVEN P=PLAN OF CORRECTION R=REFUSED TO CORRECT W=WAIVED F=FSES X=DEFICIENT COP = CONDITION REQ = REQUIREMENT

OSCAR REPORT 3 HISTORY FACILITY PROFILE

LOGAN NURSING & REHAB CENTER PROVIDER #: 465116

TYPE OF DEFICIENCY	CURRENT SURVEY	PRIOR 1 SURVEY	PRIOR 2 SURVEY	PRIOR 3 SURVEY
CONDITION	0	0	0	0
REQUIREMENT	5	7	8	0
HEALTH TOTAL	5	7	8	0
LIFE SAFETY CODE	5	5	1	2
LIFE SAFETY CODE + HEALTH	10	12	9	2

COMPLAINT SURVEY INFORMATION

STATUS SURVEY DATE | 09/27/2001 | SUBSTANTIATED | 02/27/2002 | UNSUBSTANTIATED | 02/11/2003 | SUBSTANTIATED | 07/01/2003 | SUBSTANTIATED |

FMS SURVEY INFORMATION

* NO FMS SURVEYS FOR THIS FACILITY